INDEX TO AUTHORS

ALEXANDER, HATTIE E., KOCH GEBHARD, MOUNTAIN, ISABEL MORGAN, and VAN DAMME, OLGA. Infectivity of ribonucleic acid from poliovirus in human cell monolayers, 493

AMANO, TSUNEHISA, GOEBEL, WALTHER F., and SMIDTH, ELIZABETH MILLER. Colicine K. III. The immunological properties of a substance having colicine K activity, 731

ANDRESEN, RICHARD H., MONROE, CLARENCE W., HASS, GEORGE M., and MADDEN, DOROTHY A. Host-homograft tissue interactions following exchange blood transfusions in rabbits, 131

BADER, JOHN P., and MORGAN, HERBERT R. Latent viral infection of cells in tissue culture. VI. Role of amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617

BAECHLE, KAREN. See UHR and PAPPENHEIMER, 891

BAUER, HEINZ. See SHELDON and BAUER, 171

BELL, JOHN E. See WELLER, WITTON, and BELL, 843

BERGS, VICTOR V., HENLE, GERTRUDE, DEINHARDT, FRIEDRICH, and HENLE, WERNER. Studies on persistent infections of tissue cultures. II. Nature of the resistance to vesicular stomatitis virus, 561

—. See DEINHARDT, BERGS, HENLE, and HENLE, 573

—. See HENLE, DEINHARDT, BERGS, and HENLE, 537

BEST, CHARLES H. See WILGRAM, LUCAS, and BEST, 361

BRANDRISS, M. W. See UHR and BRANDRISS, 905

BRIDGES, ROBERT A. See SMITH and BRIDGES, 227

CARLSON, ARTHUR S. See KELLNER, FREEMAN, and CARLSON, 299

CHRISTIAN, CHARLES L. Characterization of the reactant (γ-globulin factor) in the F II precititin reaction and the F II tanned sheep cell agglutination test, 139

CIECIURA, STEVEN J. See PUCK, CIECIURA, and ROBINSON, 945

COCHRANE, CHARLES G., and WEIGLE, WILLIAM O. The cutaneous reaction to soluble antigen-antibody complexes. A comparison with the Arthus phenomenon, 591

DALLDORF, GILBERT, and WEIGAND, HERIBERT. Poliomyelitis as a complex infection, 605

DALMAT, HERBERT T. Arthropod transmission of rabbit papillomatosis, 9

DEINHARDT, FRIEDRICH, BERGS, VICTOR V., HENLE, GERTRUDE, and HENLE, WERNER. Studies on persistent infections of tissue cultures. III. Some quantitative aspects of host cell–virus interactions, 573

—. See BERGS, HENLE, DEINHARDT, and HENLE, 561

—. See HENLE, DEINHARDT, BERGS, and HENLE, 537

DUBOS, RENE J., and SCHAEDLER, RUSSELL W. Effect of dietary proteins and amino acids on the sus-

ceptibility of mice to bacterial infections, 69
DUMBELL, KEITH R. See SHOPE, MANGOLD, MACNAMARA, and DUMBELL, 797

EDELMAN, G. M., KUNKEL, H. G., and FRANKLIN, E. C. Interaction of the rheumatoid factor with antigen-antibody complexes and aggregated γ-globulin, 105
EISEN, HERMAN N., and TABACHNICK, MILTON. Elicitation of allergic contact dermatitis in the guinea pig. The distribution of bound dinitrobenzene groups within the skin and quantitative determination of the extent of combination of 2,4-dinitrochlorobenzene with epidermal protein *in vivo*, 773
EVERLY, WILLIAM N. See LANCEFIELD, 329

FAHEY, JOHN L. See NATHANS, FAHEY, and POTTER, 121
FARBER, MIRIAM B. See HARRIS (SUSANNA), HARRIS, and FARBER, 411
—. See HARRIS (T. N.), HARRIS, and FARBER, 21
FELDMAN, JOSEPH D. Electron microscopy of serum sickness nephritis, 957
FINGER, IRVING, and KABAT, ELVIN A. A comparison of human antisera to purified diphtheria toxoid with antisera to other purified antigens by quantitative precipitin and gel diffusion techniques, 453
FLOYD, THOMAS M. See MCGUIRE and FLOYD, 269, 277
FRANKLIN, E. C. See EDELMAN, KUNKEL, and FRANKLIN, 105
FREEMAN, ELIZABETH B. See KELLNER, FREEMAN, and CARLSON, 299

GATLING, ROBERT R. Altered reactivity to epinephrine in the hypersensitive rabbit, 441
GERMAN, JAMES L. Studies in the pathogenesis of lupus erythematosus. Experimental production of hematoxyphil bodies in the kidney, 179
GOEBEL, WALTHER F. See AMANO, GOEBEL, and SMIDTH, 731
GORDON, B. D. See STOLLERMAN, KANTOR, and GORDON, 475
GORDON, J., ROSE, B., and SEHON, A. H. Detection of non-precipitating antibodies in sera of individuals allergic to ragweed pollen by an *in vitro* method, 37
GROSS, JEROME. Studies on the formation of collagen. III. Time-dependent solubility changes of collagen *in vitro*, 215
GUSTAFSSON, BENGT E., and LAURELL, CARL-BERTIL. γ-Globulins in germ-free rats, 251

HALBERT, SEYMOUR P. The use of precipitin analysis in agar for the study of human streptococcal infections. III. The purification of some of the antigens detected by these methods, 385
HARRIS, SUSANNA, HARRIS, T. N., and FARBER, MIRIAM B. Studies on the transfer of lymph node cells. XII. The effect of anti rabbit–leucocyte serum on the transfer of antigen-incubated lymph node cells, 411
—. See HARRIS, HARRIS, and FARBER, 21
HARRIS, T. N., HARRIS, SUSANNA, and FARBER, MIRIAM B. Studies on the transfer of lymph node cells. XI. Effect on the anti-*Shigella* agglutinin titers of recipient rabbits of the prior injection of leucocytes from the donor animals, 21
—. See HARRIS, HARRIS, and FARBER, 411
HARTLEY, JANET W. See ROWE, HARTLEY, ROIZMAN, and LEVY, 713
HASS, GEORGE M. See ANDRESEN, MONROE, HASS, and MADDEN, 131

HAWKINS, W. B. See WOODS, HAWKINS, and WHIPPLE, 1
HENLE, GERTRUDE, DEINHARDT, FRIEDRICH, BERGS, VICTOR V., and HENLE, WERNER. Studies on persistent infections of tissue cultures. I. General aspects of the system, 537
—. See BERGS, HENLE, DEINHARDT, and HENLE, 561
—. See DEINHARDT, BERGS, HENLE, and HENLE, 573
HENLE, WERNER. See BERGS, HENLE, DEINHARDT, and HENLE, 561
—. See DEINHARDT, BERGS, HENLE, and HENLE, 573
—. See HENLE, DEINHARDT, BERGS, and HENLE, 537
HILL, BETSY M. See NORMAN and HILL, 639
HIRSCH, JAMES G. Bactericidal action of histone, 925
HOLLAND, JOHN J., and PICKETT, M. J. A cellular basis of immunity in experimental *Brucella* infection, 343
HOWLAND, JOE W. See JOHNSTONE and HOWLAND, 431

JOHNSTONE, DOUGLAS E., and HOWLAND, JOE W. A comparison of the effects on the Shwartzman phenomenon of leukopenia produced by nitrogen mustard and by whole body irradiation, 431

KABAT, ELVIN A. See FINGER and KABAT, 453
KAHN, JOSEPH R. See SKEGGS, LENTZ, KAHN, and SHUMWAY, 283
KANTOR, F. S. See STOLLERMAN, KANTOR, and GORDON, 475
KARNOVSKY, MANFRED L. See MAJNO and KARNOVSKY, 197
KELLNER, AARON, FREEMAN, ELIZABETH B., and CARLSON, ARTHUR S. Neutralizing antibodies to streptococcal diphosphopyridine nucleotidase in the serum of experimental animals and human beings, 299
KIDD, JOHN G. Effects of arsenic-azoproteins on mouse lymphoma cells *in vivo*. With observations on the effects of other "anti-lymphoma" agents, and on the susceptibility to these effects of lymphoma cells of various types, 665
KOCH, GEBHARD. See ALEXANDER, KOCH, MOUNTAIN, and VAN DAMME, 493
KRAUS, SHIRLEY D. Glycyrrhizin-induced inhibition of the pituitary-adrenal stress response, 325
KRAUSE, RICHARD M. Studies on the bacteriophages of hemolytic streptococci. II. Antigens released from the streptococcal cell wall by a phage-associated lysin, 803
KUNKEL, H. G. See EDELMAN, KUNKEL, and FRANKLIN, 105

LANCEFIELD, REBECCA C. Occurrence of R antigen specific for Group A Type 3 streptococci, 329
LANDY, MAURICE. See ROSEN, SKARNES, LANDY, and SHEAR, 701
—See SKARNES, ROSEN, SHEAR, and LANDY, 685
LAURELL, CARL-BERTIL. See GUSTAFSSON and LAURELL, 251
LENTZ, KENNETH E. See SKEGGS, LENTZ, KAHN, and SHUMWAY, 283
LEVY, HILTON B. See ROWE, HARTLEY, ROIZMAN, and LEVY, 713
LEWIS, LENA A. See SCANU, LEWIS, and PAGE, 185
LIEBERMAN, IRVING, and OVE, PETER. Catalase requirement for mammalian cells in culture, 631
LUCAS, COLIN C. See WILGRAM, LUCAS, and BEST, 361

MacNAMARA, LESTER G. See SHOPE, MANGOLD, MacNAMARA, and DUMBELL, 797
MADDEN, DOROTHY A. See ANDRESEN, MONROE, HASS, and MADDEN, 131
MAJNO, GUIDO, and KARNOVSKY, MANFRED L. A biochemical and morphologic study of myelination and demyelination. II. Lipogenesis *in vitro* by rat nerves following transection, 197
MANGOLD, ROBERT. See SHOPE, MANGOLD, MacNAMARA, and DUMBELL, 797
McCARTY, MACLYN. Further studies on the chemical basis for serological specificity of Group A streptococcal carbohydrate, 311
McCLUSKEY, ROBERT T., and THOMAS, LEWIS. The removal of cartilage matrix, *in vivo*, by papain. Identification of crystalline papain protease as the cause of the phenomenon, 371
McGUIRE, C. DAVID, and FLOYD, THOMAS M. Studies on experimental shigellosis. I. *Shigella* infections of normal mice, 269
— and —. II. The effect of fasting and fatigue on *Shigella flexneri* 3 infections in mice, 277
MONROE, CLARENCE W. See ANDRESEN, MONROE, HASS, and MADDEN, 131
MORGAN, HERBERT R. See BADER and MORGAN, 617
MOUNTAIN, ISABEL MORGAN. See ALEXANDER, KOCH, MOUNTAIN, and VAN DAMME, 493

NATHANS, DANIEL, FAHEY, JOHN L., and POTTER, MICHAEL. The formation of myeloma protein by a mouse plasma cell tumor, 121
NELSON, ROBERT A., JR. An alternative mechanism for the properdin system, 515
NEWEL, J. MICHAEL. See RAFFEL and NEWEL, 823
NORMAN, PHILIP S. Studies of the plasmin system. II. Inhibition of plasmin by serum or plasma, 53
— and HILL, BETSY M. Studies of the plasmin system. III. Physical properties of the two plasmin inhibitors in plasma, 639

OVE, PETER. See LIEBERMAN and OVE, 631

PADGETT, BILLIE L., and WALKER, DUARD L. Enzymatic variants of influenza virus. II. Effect of environmental factors on enzymatic characteristics of a variant of influenza B virus, 651
PAGE, IRVINE H. See SCANU, LEWIS, and PAGE, 185
PAPPENHEIMER, A. M., JR. See UHR and PAPPENHEIMER, 891
PICKETT, M. J. See HOLLAND and PICKETT, 343
POTTER, MICHAEL. See NATHANS, FAHEY, and POTTER, 121
PUCK, THEODORE T., CIECIURA, STEVEN J., and ROBINSON, ARTHUR. Genetics of somatic mammalian cells. III. Long term cultivation of euploid cells from human and animal subjects, 945
—. See TJIO and PUCK, 259

RAFFEL, SIDNEY, and NEWEL, J. MICHAEL. The "delayed hypersensitivity" induced by antigen-antibody complexes, 823
ROBINSON, ARTHUR. See PUCK, CIECIURA, and ROBINSON, 945
ROIZMAN, BERNARD. See ROWE, HARTLEY, ROIZMAN, and LEVY, 713
ROSE, B. See GORDON, ROSE, and SEHON, 37

ROSEN, FRED S., SKARNES, ROBERT C., LANDY, MAURICE, and SHEAR, MURRAY J. Inactivation of endotoxin by a humoral component. III. Role of divalent cation and a dialyzable component, 701
—. See SKARNES, ROSEN, SHEAR, and LANDY, 685
ROWE, WALLACE P., HARTLEY, JANET W., ROIZMAN, BERNARD, and LEVY, HILTON B. Characterization of a factor formed in the course of adenovirus infection of tissue cultures causing detachment of cells from glass, 713

SCANU, ANGELO, LEWIS, LENA A., and PAGE, IRVINE H. Studies on the antigenicity of β- and α_1-lipoproteins of human serum, 185
SCHAEDLER, RUSSELL W. See DUBOS and SCHAEDLER, 69
SEHON, A. H. See GORDON, ROSE, and SEHON, 37
SHEAR, MURRAY J. See ROSEN, SKARNES, LANDY, and SHEAR, 701
—. See SKARNES, ROSEN, SHEAR, and LANDY, 685
SHELDON, WALTER H., and BAUER, HEINZ. Activation of quiescent mucormycotic granulomata in rabbits by induction of acute alloxan diabetes, 171
SHOPE, RICHARD E. The swine lungworm as a reservoir and intermediate host for hog cholera virus. II. Attempts to demonstrate the presence of hog cholera virus in lungworms derived from swine with cholera, 159
—, MANGOLD, ROBERT, MACNAMARA, LESTER G., and DUMBELL, KEITH R. An infectious cutaneous fibroma of the Virginia white-tailed deer (*Odocoileus virginianus*), 797
SHUMWAY, NORMAN P. See SKEGGS, LENTZ, KAHN, and SHUMWAY, 283
SKARNES, ROBERT C., ROSEN, FRED S., SHEAR, MURRAY J., and LANDY, MAURICE. Inactivation of endotoxin by a humoral component. II. Interaction of endotoxin with serum and plasma, 685
—. See ROSEN, SKARNES, LANDY, and SHEAR, 701
SKEGGS, LEONARD T., JR., LENTZ, KENNETH E., KAHN, JOSEPH R., and SHUMWAY, NORMAN P. The synthesis of a tetradecapeptide renin substrate, 283
SMIDTH, ELIZABETH MILLER. See AMANO, GOEBEL, and SMIDTH, 731
SMITH, RICHARD T., and BRIDGES, ROBERT A. Immunological unresponsiveness in rabbits produced by neonatal injection of defined antigens, 227
STOLLERMAN, G. H., KANTOR, F. S., and GORDON, B. D. Accessory plasma factors involved in the bactericidal test for type-specific antibody to Group A streptococci. I. Atypical behavior of some human and rabbit bloods, 475

TABACHNICK, MILTON. See EISEN and TABACHNICK, 773
THOMAS, LEWIS. See MCCLUSKEY and THOMAS, 371
THOMSON, ENID. See SMITH and BRIDGES, 227
TJIO, J. H., and PUCK, THEODORE T. Genetics of somatic mammalian cells. II. Chromosomal constitution of cells in tissue culture, 259
TRAGER, WILLIAM. Folinic acid and non-dialyzable materials in the nutrition of malaria parasites, 753
TSALTAS, THEODORE T. Papain-induced changes in rabbit cartilage. Alterations in the chemical structure of the cartilage matrix, 507

UHR, JONATHAN W., and BRANDRISS, M. W. Delayed hypersensitivity. IV. Systemic reactivity of guinea pigs sensitized to protein antigens, 905
— and PAPPENHEIMER, A. M., JR. Delayed hypersensitivity. III. Specific desensitization of guinea pigs sensitized to protein antigens, 891

VAN DAMME, OLGA. See ALEXANDER, KOCH, MOUNTAIN, and VAN DAMME, 493

WALKER, DUARD L. See PADGETT and WALKER, 651
WEIGAND, HERIBERT. See DALLDORF and WEIGAND, 605
WEIGLE, WILLIAM O. See COCHRANE and WEIGLE, 591
WEISS, DAVID W. Inhibition of tuberculin skin hypersensitivity in guinea pigs by injection of tuberculin and intact tubercle bacilli during fetal life, 83
WELLER, THOMAS H., and WITTON, HELEN M. The etiologic agents of varicella and herpes zoster. Serologic studies with the viruses as propagated *in vitro*, 869
—, —, and BELL, JOHN E. The etiologic agents of varicella and herpes zoster. Isolation, propagagation, and cultural characteristics *in vitro*, 843
WHIPPLE, G. H. See WOODS, HAWKINS, and WHIPPLE, 1
WILGRAM, GEORGE F., LUCAS, COLIN C., and BEST, CHARLES H. Kwashiorkor type of fatty liver in primates, 361
WITTON, HELEN M. See WELLER and WITTON, 869
—. See WELLER, WITTON, and BELL, 843
WOODS, W. D., HAWKINS, W. B., and WHIPPLE, G. H. Vitamin $B_{12}Co^{60}$ distribution in dog tissues during many months. Red cell stroma with labelled B_{12} in hemolytic anemia, 1

INDEX TO SUBJECTS

ACID, folinic, and non-dialyzable materials in nutrition of malaria parasites, 753
—, ribonucleic, infectivity from poliovirus in human cell monolayers, 493
Acids, amino, and dietary proteins, effect on susceptibility of mice to bacterial infections, 69
—, amino, glutamine, and glucose in psittacosis virus propagation in L cells, viral infection of cells in tissue culture, 617
Adenovirus infection of tissue cultures, factor causing detachment of cells from glass, formed during, 713
Adrenal-pituitary stress response, glycyrrhizin-induced, inhibition of, 325
Agar, precipitin analysis in, for study of human streptococcal infections, purification of antigens, 385
Agglutination test, F II tanned sheep cell, and F II precipitin reaction, reactant γ-globulin factor in, 139
Agglutinin titers, anti-*Shigella*, of recipient rabbits of prior injection of leucocytes from donor animals, in transfer of lymph node cells, 21
Allergic contact dermatitis, elicitation by dinitrobenzene groups, 773
Allergy to ragweed pollen, detection by *in vitro* method of non-precipitating antibodies in sera, 37
Alloxan diabetes, acute, activation of quiescent mucormycotic granulomata by induction of, 171
Amino acids and dietary proteins, effect on susceptibility of mice to bacterial infections, 69
— acids, glutamine, and glucose in psittacosis virus propagation in L cells, viral infection of cells in tissue culture, 617
Anemia, hemolytic, distribution during many months of vitamin B_{12} labelled with cobalt-60 in red cell stroma, 1
Antibodies, detection of non-precipitating, in sera of individuals allergic to ragweed pollen by *in vitro* method, 37
—, neutralizing, to streptococcal diphosphopyridine nucleotidase in serum of animals and human beings, 299
Antibody, type-specific, to Group A streptococci, accessory plasma factors in bactericidal test for, atypical behavior of human and rabbit bloods, 475
Antibody-antigen complexes and aggregated γ-globulin, interaction of rheumatoid factor with, 105
— complexes, delayed hypersensitivity induced by, 823
— complexes, soluble, cutaneous reaction, comparison with Arthus phenomenon, 591
Antigen, R, specific for Group A Type 3 streptococci, 329
antigen-antibody complexes and aggregated γ-globulin, interaction of rheumatoid factor with, 105
— complexes, delayed hypersensitivity induced by, 823
— complexes, soluble, cutaneous reaction, comparison with Arthus phenomenon, 591

Antigenicity of β- and α_1-lipoproteins of human serum, 185
Antigen-incubated lymph node cells, effect of anti rabbit-leucocyte serum on transfer of, 411
Antigens, defined, immunological unresponsiveness produced by neonatal injection of, 227
—, protein, specific desensitization of guinea pigs sensitized to, delayed hypersensitivity, 891
—, protein, systemic reactivity of guinea pigs sensitized to, delayed hypersensitivity, 905
—, purification of, in precipitin analysis in agar for study of human streptococcal infections, 385
—, purified, antisera to, and human antisera to purified diphtheria toxoid, comparison by quantitative precipitin and gel diffusion techniques, 453
— released from streptococcal cell wall by phage-associated lysin, 803
Antisera, man, to purified diphtheria toxoid compared with antisera to other purified antigens by quantitative precipitin and gel diffusion techniques, 453
Antiserum against rabbit leucocytes, effect on transfer of antigen-incubated lymph node cells, 411
Arsenic-azoproteins, effects on lymphoma cells *in vivo*, 665
Arthropod transmission of papillomatosis, 9
Arthus phenomenon and cutaneous reaction to soluble antigen-antibody complexes, comparison, 591
Azoproteins-arsenic, effects on lymphoma cells *in vivo*, 665

BACILLI, intact tubercle, and tuberculin, injection during fetal life, inhibition of tuberculin skin hypersensitivity by, 83
Bacterial infections, effect of dietary proteins and amino acids on susceptibility of mice to, 69
Bactericidal action of histone, 925
— test, accessory plasma factors involved in, for type-specific antibody to Group A streptococci, atypical behavior of human and rabbit bloods, 475
Bacteriophage-associated lysin, antigens released from streptococcal cell wall by, 803
Benzene, dinitro-, distribution of bound groups within skin and quantitative determination of the extent of combination of 2,4-dinitrochlorobenzene with epidermal protein *in vivo*, 773
—, 2,4-dinitrochloro-, combination with epidermal protein *in vivo*, quantitative determination of, and distribution of bound dinitrobenzene groups within skin, 773
Biochemical and morphologic study of myelination and demyelination, lipogenesis *in vitro* by nerves following transection, 197
Blood cell, red. *See* Erythrocytes.
— transfusions, exchange, host-homograft tissue interactions following, 131
Bloods, human and rabbit, atypical behavior, accessory plasma factors involved in bactericidal test for type-specific antibody to Group A streptococci, 475
Bodies, hematoxyphil, in kidney production, pathogenesis of lupus erythematosus, 179
Brucella infection, cellular basis of immunity in, 343

CARBOHYDRATE, Group A streptococcal, chemical basis for serological specificity, 311
Cartilage matrix, papain-induced alterations in chemical structure, 507
— matrix, removal *in vivo* by papain, identification of crystalline papain protease as cause of phenomenon, 371

Catalase requirement for mammalian cells in culture, 631
Cation, divalent, and dialyzable component, inactivation of endotoxin by humoral component, 701
Cell, blood, red. *See* Erythrocytes.
— monolayers, human, infectivity of ribonucleic acid from poliovirus in, 493
—, tanned sheep, F II agglutination test and F II precipitin reaction, reactant γ-globulin factor in, 139
— tumor, plasma, formation of myeloma protein by, 121
— virus, host-, interactions, persistent infections of tissue cultures, 573
— wall, streptococcal, antigens released by phage-associated lysin from, 803
Cells, detachment from glass, factor formed in adenovirus infection of tissue cultures causing, 713
— in culture, mammalian, catalase requirement for, 631
— in tissue culture, viral infection, amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617
— *in vivo*, lymphoma, effects of arsenic-azoproteins on, 665
—, L, amino acids, glutamine, and glucose in psittacosis virus propagation in, viral infection of cells in tissue culture, 617
—, lymph node, antigen-incubated, effect of anti rabbit-leucocyte serum on transfer of, 411
—, lymph node, transfer, effect on anti-*Shigella* agglutinin titers of recipient rabbits of prior injection of leucocytes from donor animals, 21
—, somatic mammalian, genetics, long term cultivation of euploid cells from human and animal subjects, 945
—, somatic mammalian in tissue culture, chromosomal constitution, 259
Cellular basis of immunity in *Brucella* infection, 343
Chemical basis for serological specificity of Group A streptococcal carbohydrate, 311
— structure of cartilage matrix, papain-induced alterations, 507
Chlorobenzene, 2,4-dinitro-, combination with epidermal protein *in vivo*, quantitative determination of, and distribution of bound dinitrobenzene groups within skin, 773
Cholera virus, hog, presence in lungworms derived from swine with cholera, 159
Chromosomal constitution of somatic mammalian cells in tissue culture, 259
Cobalt, radioactive, vitamin B_{12}-labelled with, distribution during many months in red cell stroma in hemolytic anemia, 1
Colicine K activity, immunological properties of substance having, 731
Collagen *in vitro*, time-dependent solubility changes of, 215
Crystalline papain protease, identification as cause of phenomenon in removal of cartilage matrix *in vivo*, 371
Cultivation, long term, of euploid cells from human and animal subjects in genetics of somatic mammalian cells, 945
Cultural characteristics, isolation, and propagation *in vitro*, etiologic agents of varicella and herpes zoster, 843
Culture, catalase requirement for mammalian cells in, 631
—, tissue, chromosomal constitution of somatic mammalian cells in, 259
—, tissue, viral infection of cells in, amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617

Cultures, tissue, adenovirus infection of, factor causing detachment of cells from glass, formed during, 713
—, tissue, persistent infections, general aspects, 537
—, tissue, persistent infections, host cell-virus interactions, 573
—, tissue, persistent infections, resistance to vesicular stomatitis virus, 561
Cutaneous fibroma, infectious, of *Odocoileus virginianus*, 797
— reaction to soluble antigen-antibody complexes, comparison with Arthus phenomenon, 591

DEER, infectious cutaneous fibroma from Virginia white-tailed, 797
Demyelination and myelination, biochemical and morphologic study, lipogenesis *in vitro* by nerves following transection, 197
Dermatitis, allergic contact, elicitation by dinitrobenzene groups, 773
Desensitization, specific, of guinea pigs sensitized to protein antigens, delayed hypersensitivity, 891
Diabetes, acute alloxan, activation of quiescent mucormycotic granulomata by induction of, 171
Dialyzable component and divalent cation, inactivation of endotoxin by humoral component, 701
—, non-, materials and folinic acid in nutrition of malaria parasites, 753
Dietary proteins and amino acids, effect on susceptibility of mice to bacterial infections, 69
Diffusion, gel, and quantitative precipitin techniques, comparison of human antisera to purified diphtheria toxoid with antisera to other purified antigens by, 453
Dinitrobenzene, distribution of bound groups within skin and quantitative determination of the extent of combination of 2,4-dinitrochlorobenzene with epidermal protein *in vivo*, 773
Dinitrochlorobenzene, 2,4-, combination with epidermal protein *in vivo*, quantitative determination of, and distribution of bound dinitrobenzene groups within skin, 773
Diphosphopyridine nucleotidase, streptococcal, neutralizing antibodies in serum of animals and human beings, 299
Diphtheria toxoid, purified, human antisera to, comparison with antisera to other purified antigens by quantitative precipitin and gel diffusion techniques, 453

ELECTRON microscopy of serum sickness nephritis, 957
Endotoxin inactivation by humoral component, divalent cation and dialyzable component, 701
—, inactivation by humoral component, interaction with serum and plasma, 685
Enzymatic characteristics of variant of influenza B virus, effect of environmental factors on, 651
Epidermal protein *in vivo*, quantitative determination of extent of combination of 2,4-dinitrochlorobenzene with, and distribution of bound dinitrobenzene groups within skin, 773
Epinephrine in hypersensitive rabbit, reactivity to, 441
Erythematosus, lupus, pathogenesis, production of hematoxyphil bodies in kidney, 179
Erythrocytes, red cell stroma, distribution during many months of vitamin B_{12} labelled with cobalt-60 in hemolytic anemia, 1
Etiologic agents of varicella and herpes zoster, isolation, propagation, and cultural characteristics *in vitro*, 843
— agents of varicella and herpes zoster, serologic studies with viruses propagated *in vitro*, 869

FASTING and fatigue, effect on *Shigella flexneri* 3 infections, 277
Fatigue and fasting, effect on *Shigella flexneri* 3 infections, 277
Fatty liver, Kwashiorkor type, in primates, 361
Fetal life, inhibition of tuberculin skin hypersensitivity by injection of tuberculin and intact tubercle bacilli during, 83
Fibroma, infectious cutaneous, of *Odocoileus virginianus*, 797
Folinic acid and non-dialyzable materials in nutrition of malaria parasites, 753

GENETICS of somatic mammalian cells, chromosomal constitution in tissue culture, 259
— of somatic mammalian cells, long term cultivation of euploid cells from human and animal subjects, 945
Germ-free rats, γ-globulins in, 251
Globulin, γ-, aggregated, and antigen-antibody complexes, interaction of rheumatoid factor with, 105
—, γ-, reactant, in F II precipitin reaction and F II tanned sheep cell agglutination test, 139
Globulins, γ-, in germ-free rats, 251
Glucose, amino acids, and glutamine in psittacosis virus propagation in L cells, viral infection of cells in tissue culture, 617
Glutamine, glucose, and amino acids, in psittacosis virus propagation in L cells, viral infection of cells in tissue culture, 617
Glycyrrhizin-induced inhibition of pituitary-adrenal stress response, 325
Granulomata, quiescent mucormycotic, activation by induction of acute alloxan diabetes, 171

HEMATOXYPHIL bodies in kidney, production, pathogenesis of lupus erythematosus, 179
Hemolytic anemia, distribution during many months of vitamin B_{12} labelled with cobalt-60 in red cell stroma, 1
— streptococcal cell wall, antigens released by phage-associated lysin from, 803
Herpes zoster and varicella, etiologic agents of, isolation, propagation, and cultural characteristics *in vitro*, 843
— zoster and varicella, etiologic agents, serologic studies with viruses propagated *in vitro*, 869
Histone, bactericidal action, 925
Hog cholera virus in lungworms derived from swine with cholera, presence of, 159
Homograft-host tissue interactions following exchange blood transfusions, 131
Host cell-virus interactions, persistent infections of tissue cultures, 573
—, intermediate, for hog cholera virus, swine lungworm as reservoir for, 159
Host-homograft tissue interactions following exchange blood transfusions, 131
Humoral component, inactivation of endotoxin by, divalent cation and dialyzable component, 701
— component, inactivation of endotoxin by, interaction with serum and plasma, 685
Hypersensitive rabbit, reactivity to epinephrine in, 441
Hypersensitivity, delayed, induced by antigen-antibody complexes, 823
—, delayed, specific desensitization of guinea pigs sensitized to protein antigens, 891
—, delayed, systemic reactivity of guinea pigs sensitized to protein antigens, 905
—, tuberculin skin, inhibition by injection of tuberculin and intact tubercle bacilli during fetal life, 83

IMMUNITY in *Brucella* infection, cellular basis of, 343
Immunological properties of substance having colicine K activity, 731
— unresponsiveness produced by neonatal injection of defined antigens, 227
Incubated lymph node cells, by antigen, effect of anti rabbit-leucocyte serum on transfer of, 411
Infection, adenovirus, of tissue cultures, factor causing detachment of cells from glass, formed during, 713
—, *Brucella*, cellular basis of immunity in, 343
—, complex, poliomyelitis, 605
—, viral, of cells in tissue culture, amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617
Infections, bacterial, effect of dietary proteins and amino acids on susceptibility of mice to, 69
—, human streptococcal, precipitin analysis in agar for study of, purification of antigens, 385
— of tissue cultures, persistent, general aspects, 537
— of tissue cultures, persistent, host cell-virus interactions, 573
— of tissue cultures, persistent, resistance to vesicular stomatitis virus, 561
—, *Shigella flexneri* 3, effect of fasting and fatigue on, 277
—, *Shigella*, of normal mice, 269
Infectious cutaneous fibroma of *Odocoileus virginianus*, 797
Infectivity of ribonucleic acid from poliovirus in human cell monolayers, 493
Influenza B virus, variant, effect of environmental factors on enzymatic characteristics of, 651
Inhibition, glycyrrhizin-induced, of pituitary-adrenal stress response, 325
— of plasmin by serum or plasma, 53
Inhibition of tuberculin skin hypersensitivity by injection of tuberculin and intact tubercle bacilli during fetal life, 83
Inhibitors in plasma, two plasmin, physical properties, 639
Injection, neonatal, of defined antigens, immunological unresponsiveness produced by, 227
— of tuberculin and intact tubercle bacilli during fetal life, inhibition of tuberculin skin hypersensitivity by, 83
—, prior, of leucocytes from donor animals into rabbits, effect of anti-*Shigella* agglutinin titers, in transfer of lymph node cells, 21
Irradiation, whole body, and nitrogen mustard, leucopenia produced by, effects on Shwartzman phenomenon, 431

KIDNEY, production of hematoxyphil bodies in, pathogenesis of lupus erythematosus, 179
Kwashiorkor type of fatty liver in primates, 361

LEUCOCYTES from donor animals, prior injection in rabbits, effect on anti-*Shigella* agglutinin titers, transfer of lymph node cells, 21
Leucocytes, rabbit, antiserum against, effect on transfer of antigen-incubated lymph node cells, 411
Leucopenia produced by nitrogen mustard and by whole body irradiation, effects on Shwartzman phenomenon, 431
Lipogenesis *in vitro* by nerves following transection, biochemical and morphologic study of myelination and demyelination, 197
Lipoproteins, β- and α_1-, of human serum, antigenicity, 185
Liver, fatty, Kwashiorkor type in primates, 361

Lungworms derived from swine with cholera, presence of hog cholera virus in, 159
Lupus erythematosus, pathogenesis, production of hematoxyphil bodies in kidney, 179
Lymph node cells, antigen-incubated, effect of anti rabbit-leucocyte serum on transfer of, 411
— node cells, transfer, effect on anti-*Shigella* agglutinin titers of recipient rabbits of prior injection of leucocytes from donor animals, 21
Lymphoma, anti-, agents, susceptibility of lymphoma cells of various types to, arsenic-azoprotein effects on mouse lymphoma cells *in vivo*, 665
— cells *in vivo*, effects of arsenic-azoproteins on, 665
Lysin, phage-associated, antigens released from streptococcal cell wall by, 803

MALARIA parasites, folinic acid and non-dialyzable materials in nutrition of, 753
Mammalian cells in culture, catalase requirement, 631
— cells, somatic, chromosomal constitution in tissue culture, 259
— cells, somatic, genetics, long term cultivation of euploid cells from human and animal subjects, 945
Man and animal, long term cultivation of euploid cells from, genetics of somatic mammalian cells, 945
— and animals, neutralizing antibodies to streptococcal diphosphopyridine nucleotidase in serum of, 299
— antisera to purified diphtheria toxoid compared with antisera to other purified antigens by quantitative precipitin and gel diffusion techniques, 453
— cell monolayers, infectivity of ribonucleic acid from poliovirus in, 493
Man, human serum, antigenicity of β- and α_1-lipoproteins of, 185
—, precipitin analysis in agar for study of streptococcal infections in, purification of antigens, 385
— and rabbit bloods, atypical behavior, accessory plasma factors involved in bactericidal test for type-specific antibody to Group A streptococci, 475
Microscopy, electron, of serum sickness nephritis, 957
Morphologic and biochemical study of myelination and demyelination, lipogenesis *in vitro* by nerves following transection, 197
Mucormycotic granulomata, quiescent, activation by induction of acute alloxan diabetes, 171
Mustard, nitrogen, and whole body irradiation, leucopenia produced by, effects on Shwartzman phenomenon, 431
Myelination and demyelination, biochemical and morphologic study, lipogenesis *in vitro* by nerves following transection, 197
Myeloma protein, formation by plasma cell tumor, 121

NEONATAL injection of defined antigens, immunological unresponsiveness produced by, 227
Nephritis, serum sickness, electron microscopy, 957
Nerves following transection, lipogenesis *in vitro*, biochemical and morphologic study of myelination and demyelination, 197
Nitrogen mustard and whole body irradiation, leucopenia produced by, effects on Shwartzman phenomenon, 431
Node, lymph. *See* Lymph.
Nucleic acid, ribo-, infectivity from poliovirus in human cell monolayers, 493
Nucleotidase, streptococcal diphosphopyridine, neutralizing anti-

bodies in serum of animals and human beings, 299
Nutrition of malaria parasites, folinic acid and non-dialyzable materials in, 753

ODOCOILEUS *virginianus*, infectious cutaneous fibroma of, 797

PAPAIN, removal of cartilage matrix *in vivo* by, identification of crystalline papain protease as cause of phenomenon, 371
Papain-induced alterations in chemical structure of cartilage matrix, 507
Papillomatosis, arthropod transmission, 9
Parasites, malaria, folinic acid and non-dialyzable materials in nutrition of, 753
Pathogenesis of lupus erythematosus, production of hematoxyphil bodies in kidney, 179
Peptide, tetradeca-, renin substrate, synthesis, 283
Phage. *See* Bacteriophage.
Physical properties of two plasmin inhibitors in plasma, 639
Pituitary-adrenal stress response, glycyrrhizin-induced, inhibition of, 325
Plasma cell tumor, formation of myeloma protein by, 121
— factors, accessory, involved in bactericidal test for type-specific antibody to Group A streptococci, atypical behavior of human and rabbit bloods, 475
—, physical properties of two plasmin inhibitors in, 639
— or serum, inhibition of plasmin by, 53
— and serum, interaction of endotoxin with, and inactivation by humoral component, 685
Plasmin inhibitors, two, in plasma physical properties, 639
— system, inhibition of plasmin by serum or plasma, 53
Poliomyelitis as complex infection, 605
— virus in human cell monolayers, infectivity of ribonucleic acid from, 493
Pollen, ragweed, detection by *in vitro* method of non-precipitating antibodies in sera of individuals allergic to, 37
Precipitating, non-, antibodies, detection in sera of individuals allergic to ragweed pollen by *in vitro* method, 37
Precipitin analysis in agar for study of human streptococcal infections, purification of antigens, 385
—, quantitative, and gel diffusion techniques, used to compare human antisera to purified diphtheria toxoid with antisera to other purified antigens, 453
— reaction, F II, and F II tanned sheep cell agglutination test, reactant γ-globulin factor in, 139
Primates, Kwashiorkor type of fatty liver in, 361
Properdin system, alternative mechanism, 515
Protease, crystalline papain, identification as cause of phenomenon in removal of cartilage matrix *in vivo*, 371
Protein antigens, specific desensitization of guinea pigs sensitized to, delayed hypersensitivity, 891
— antigens, systemic reactivity of guinea pigs sensitized to, delayed hypersensitivity, 905
—, epidermal, *in vivo*, quantitative determination of extent of combination of 2,4-dinitrochlorobenzene with, and distribution of bound dinitrobenzene groups within skin, 773
—, myeloma, formation by plasma cell tumor, 121
Proteins, dietary, and amino acids, effect on susceptibility of mice to bacterial infections, 69
Psittacosis virus propagation in L

cells, amino acids, glutamine, and glucose in, viral infection of cells in tissue culture, 617
Pyridine, diphospho-, streptococcal nucleotidase, neutralizing antibodies in serum of animals and human beings, 299

RADIOACTIVE cobalt, vitamin B_{12} labelled with, distribution during many months in red cell stroma in hemolytic anemia, 1
Ragweed pollen, detection by *in vitro* method of non-precipitating antibodies in sera of individuals allergic to, 37
Reactant γ-globulin factor in F II precipitin reaction and in F II tanned sheep cell agglutination test, 139
Reaction, cutaneous, to soluble antigen-antibody complexes, comparison with Arthus phenomenon, 591
—, F II precipitin, and F II tanned sheep cell agglutination test, reactant γ- globulin factor in, 139
Reactivity, systemic, of guinea pigs to protein antigens, delayed hypersensitivity, 905
— to epinephrine in hypersensitive rabbit, 441
Renin substrate, tetradecapeptide, synthesis, 283
Resistance to vesicular stomatitis virus, persistent infections of tissue cultures, 561
Rheumatoid factor, interaction with antigen-antibody complexes and aggregated γ-globulin, 105
Ribonucleic acid, infectivity from poliovirus in human cell monolayers, 493

SENSITIZATION of guinea pigs to protein antigens, systemic reactivity, delayed hypersensitivity, 905
— to protein antigens, specific desensitization in guinea pigs, delayed hypersensitivity, 891
Sera of individuals allergic to ragweed pollen, detection of non-precipitating antibodies in sera by *in vitro* method, 37
Serologic studies with viruses propagated *in vitro*, herpes zoster and varicella, etiologic agents, 869
Serological specificity of Group A streptococcal carbohydrate, chemical basis, 311
Serum, anti-, rabbit leucocyte, effect on transfer of antigen-incubated lymph node cells, 411
—, human, antigenicity of β- and α_1-lipoproteins, 185
— of animals and human beings, containing neutralizing antibodies to streptococcal diphosphopyridine nucleotidase, 299
— or plasma, inhibition of plasmin by, 53
— and plasma, interaction of endotoxin with, and inactivation by humoral component, 685
— sickness nephritis, electron microscopy of, 957
Shigella, anti-, agglutinin titers of recipient rabbits of prior injection of leucocytes from donor animals, in transfer of lymph node cells, 21
— *flexneri* 3 infections, effect of fasting and fatigue on, 277
— infections of normal mice, 269
Shwartzman phenomenon, effects of leucopenia produced by nitrogen mustard and by whole body irradiation, 431
Skin, distribution of bound dinitrobenzene groups within, and quantitative determination of extent of combination of 2,4-dinitrochlorobenzene with epidermal protein *in vivo*, 773
— hypersensitivity, tuberculin, inhibition by injection of tuberculin and intact tubercle bacilli during fetal life, 83
Solubility changes, time-dependent, of collagen *in vitro*, 215

Soluble antigen-antibody complexes, cutaneous reaction, comparison with Arthus phenomenon, 591
Specific antibody, type-, to Group A streptococci, accessory plasma factors involved in bactericidal test for, atypical behavior of human and rabbit bloods, 475
— desensitization of guinea pigs sensitized to protein antigens, delayed hypersensitivity, 891
— R antigen for Group A Type 3 streptococci, 329
Specificity, serological, of Group A streptococcal carbohydrate, chemical basis, 311
Stomatitis virus, vesicular, resistance to, persistent infections of tissue cultures, 561
Streptococcal carbohydrate, chemical basis for serological specificity of Group A, 311
— cell wall, antigens released by phage-associated lysin from, 803
— diphosphopyridine nucleotidase, neutralizing antibodies to, in serum of animals and human beings, 299
— infections, human, precipitin analysis in agar for study of, purification of antigens, 385
Streptococci, Group A, accessory plasma factors involved in bactericidal test for type-specific antibody to, atypical behavior of human and rabbit bloods, 475
—, R antigen specific for Group A Type 3, 329
Stress response, adrenal-pituitary, glycyrrhizin-induced, inhibition of, 325
Stroma, red cell, distribution during many months of vitamin B_{12} labelled with cobalt-60 in hemolytic anemia, 1
Susceptibility of lymphoma cells of various types to effects of anti-lymphoma agents, arsenic-azoprotein effects on lymphoma cells *in vivo*, 665
Susceptibility of mice to bacterial infections, effect of dietary proteins and amino acids on, 69
Swine with cholera, presence of hog cholera virus in lungworms derived from, 159

TETRADECAPEPTIDE renin substrate, synthesis, 283
Tissue culture, chromosomal constitution of somatic mammalian cells in, 259
— culture, virus infection of cells in, amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617
— cultures, adenovirus infection of, factor causing detachment of cells from glass, formed during, 713
— cultures, persistent infections, general aspects, 537
— cultures, persistent infections, host cell-virus interactions, 573
— cultures, persistent infections, resistance to vesicular stomatitis virus, 561
— interactions, host-homograft, following exchange blood transfusions, 131
Tissues, distribution during many months of vitamin B_{12} labelled with cobalt-60 in red cell stroma in hemolytic anemia, 1
Titers, agglutinin, anti-*Shigella*, of recipient rabbits of prior injection of leucocytes from donor animals, in transfer of lymph node cells, 21
Toxoid, purified diphtheria, human antisera to, comparison with antisera to other purified antigens by quantitative precipitin and gel diffusion techniques, 453
Transfer of antigen-incubated lymph node cells, effect of anti rabbit-leucocyte serum on, 411
— of lymph node cells, effect on anti-*Shigella* agglutinin titers of recipient rabbits of prior injection of leucocytes from donor animals, 21

Transfusions, exchange blood, host-homograft tissue interactions following, 131
Transmission of papillomatosis, arthropod, 9
Tubercle bacilli, intact, and tuberculin, injection during fetal life, inhibition of tuberculin skin hypersensitivity by, 83
Tuberculin skin hypersensitivity, inhibition by injection of tuberculin and intact tubercle bacilli during fetal life, 83
Tumor, plasma cell, formation of myeloma protein by, 121

VARICELLA and herpes zoster, etiologic agents, isolation, propagation, and cultural characteristics *in vitro*, 843
— and herpes zoster, etiologic agents, serologic studies with viruses propagated *in vitro*, 869
Vesicular stomatitis virus, resistance to, persistent infections of tissue cultures, 561
Viral infection of cells in tissue culture, amino acids, glutamine, and glucose in psittacosis virus propagation in L cells, 617
Virus, adeno-, infection of tissue cultures, factor causing detachment of cells from glass, formed during, 713
—, hog cholera, presence in lungworms derived from swine with cholera, 159
—, poliomyelitis, in human cell monolayers, infectivity of ribonucleic acid from, 493
— propagation, psittacosis, in L cells, amino acids, glutamine, and glucose in, viral infection of cells in tissue culture, 617
—, variant of influenza B, effect of environmental factors on enzymatic characteristics of, 651
—, vesicular stomatitis, resistance to, persistent infections of tissue cultures, 561
Viruses propagated *in vitro*, serologic studies, etiologic agents of varicella and herpes zoster, 869
Virus-host cell interactions, persistent infections of tissue cultures, 573
Vitamin B_{12} labelled with cobalt-60, distribution during many months in red cell stroma in hemolytic anemia, 1